
FIT FOR JOB

KITCHEN // CATERING // FOOD INDUSTRY



ABEBBA®



CONTENT

Occupational and Safety shoes

4 **DYNAMIC** - Occupational shoes



7 **EASY** - Occupational shoes

8 **RUBBER** - Occupational shoes

9 **ARROW** - Occupational shoes

10 **AIR CUSHION** - Occupational shoes

11 **BUSINESS LADY** - Occupational shoes

11 **BUSINESS MEN** - Occupational shoes

12 **SERVICE** - Occupational shoes

13 **LIGHT** - Occupational shoes

15 **UNI6** - Occupational shoes

20 **CLASSIC** - Safety shoes

21 **LIGHT** - Safety shoes



23 **UNI6** - Safety shoes



26 **ANATOM** - Safety shoes

28 **CRAWLER** - Safety shoes

30 **THE ORIGINAL** - Occupational shoes

MOBILE AND ACTIVE WITH ABEBA

Our feet do the heavy lifting – every day

Healthy feet keep us mobile and in good spirits. Unfortunately this important part of the body often doesn't receive the attention it is due. Our feet play a vital role in our lives and are literally the foundation on which we stand. If the foundation starts to crumble it can affect the whole body: knee and hip problems, back- or even headaches can be the symptoms of badly manufactured shoes and the malposition that follows with them.

Especially in a working environment additional pressure is put on our feet. To support healthy feet and ensure mobility it is essential to create shoes that minimise work specific risks and at the same time reach our high standards of wearing comfort. If the mobility is reduced by injured feet, this in turn leads to a prolonged sick leave which affects both employee and employer.

What can ABEBA do to protect your feet in a working environment and to support their well-being?

One thing is clear: Shoes have to fit!

Anatomically optimised lasts in combination with different forms offer us the possibility to create shoes with high wearing comfort for virtually every foot shape.

A high slip-resistance is a must!

Special outsole design make for sure standing and this way minimise the risk of falling down through stumbling or slipping.

What's on the inside counts, too!

Replaceable insoles and breathable, antibacterial linings provide a good foot climate. On top of that, ABEBA insoles optimise the cushioning effect over the whole surface and if needed we can offer you some orthopaedic insoles (that will be made especially for your feet of course).

Specialties make all the difference!

As a special shoe designer ABEBA offers a multitude of unique accoutrements which are especially made for the different needs and requirements of the varying professions. We are for instance able to offer a great range of shoes that are HACCP compliant and therefore adhere to the strict requirements of the food industry.

“Enjoy walking” is our motto and incentive at the same time!

ICONS



ESD



STEEL TOE-CAP



ALUMINIUM TOE-CAP



WASHABLE AT 30° C



SUITABLE FOR KITCHENS



REPLACEABLE INSOLE



PENETRATION RESISTANCE



HACCP-COMPLIANT



SUITABLE FOR HEEL AND FOOT LIFT



IDENTIFICATION ACCORDING TO STANDARD



INFORMATION
Most styles are also available in ESD-version

with



button



DYNAMIC



OB

7310

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7312

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/blue with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7313

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/red with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7315

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather black/brown with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7331

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre black/blue | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7335

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/black | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole





NEW

OB

A micro

7320

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfibre white with pattern | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



NEW

OB

7325

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | knitted textile white | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole





DYNAMIC



OB

A^o micro

7360

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A^o micro

7361

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A^o micro

7362

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A^o micro

7363

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A^o micro

7366

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A^o micro

7365

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole





easy



OB

A micro

7620

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfibre patent white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

A micro

7621

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | microfibre patent black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

7622

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-48 | smooth leather white/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

7623

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
 Size 35-43 | smooth leather white/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole





rubber

hexa4[®]
GRIP



OB

micro

970111

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | microfibre white | heel patch microfibre |
midsole TPU | heel strap non foldable, adjustable | instep strap
adjustable | **hexa4GRIP OUTSOLE**



hexa4[®]
GRIP



OB

micro

970119

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | microfibre black | heel patch microfibre |
midsole TPU | heel strap non foldable, adjustable | instep strap ad-
justable | **hexa4GRIP OUTSOLE**



OB

9200

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole leather | heel strap fold-
able, adjustable | slip-resistant special rubber outsole



OB

9252

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap
foldable, adjustable | slip-resistant special rubber outsole



OB

9110

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather black | insole leather | heel strap
non-foldable, adjustable | instep strap adjustable | slip-resistant
special rubber outsole



OB

9100

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 36-47 | smooth leather white | insole leather | heel strap
non-foldable, adjustable | instep strap adjustable | slip-resistant
special rubber outsole





OB Size 36-47 **8300**

OB Size 36-47 **8310**

OB Size 48-51 **8302**

OB Size 48-51 **8312**

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre white | heel patch microfibre | heel strap foldable, adjustable | lightweight Mono-PU-outsole

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre black | heel patch microfibre | heel strap foldable, adjustable | lightweight Mono-PU-outsole



OB **8400**

CE, EN ISO 20347:2012 OB, A, FO, SRA
Size 36-47 | smooth leather white | heel patch microfibre | lining microfibre, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant PU outsole





cushion

AIR CUSHION



02

2700

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather white | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2710

CE, EN ISO 20347:2012 O2, SRA
Size 39-47 | grained leather black | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2610

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather black | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2600

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather white | lining microfibre, breathable, moisture absorbing | replaceable insole (art. 3551) | slip-resistant PU outsole



02

2650

CE, EN ISO 20347:2012 O2, SRA
Size 35-47 | grained leather black | lining with silver ions | replaceable insole (art. 3551) | slip-resistant PU outsole





3980

Size 36-42 | smooth leather black | lining microfibre, moisture absorbing | instep area with lacing | heel 60 mm | ESD dissipative outsole



3990

Size 36-42 | smooth leather black | lining microfibre, moisture absorbing | heel 60 mm | ESD dissipative outsole



3920

Size 36-42 | smooth leather black | lining microfibre, moisture absorbing | instep area with elastic band | integrated acc footbed | heel 40 mm

BUSINESS MEN



32430

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfibre, moisture absorbing | insole microfibre | slip-resistant ESD dissipative TPU outsole



32450

CE, EN ISO 20347:2012 O1, SRB
Size 40-47 | smooth leather black | lining microfibre, moisture absorbing | insole microfibre | slip-resistant ESD dissipative TPU outsole



SERVICE

NEW



01 

300219

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfibre black in leather optic | lining microfibre, breathable, moisture absorbing | instep area with lacing | slip-resistant PU/rubber outsole



NEW



01 

300119

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-43 | microfibre black in leather optic | lining microfibre, breathable, moisture absorbing | instep area with elastic band | slip-resistant PU/rubber outsole



01

3030

CE, EN ISO 20347:2012 O1, FO, SRB
Size 36-42 | smooth leather black | lining microfibre, breathable, moisture absorbing | velcro fastening over instep | integrated acc footbed | slip-resistant outsole



7401

Size 36-42 | calf leather black | integrated acc footbed | slip-resistant outsole



3000

Size 34-42 | smooth leather black | instep area with lacing | comfort footbed | heel 45 mm | slip-resistant outsole



OB

1130

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
 Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole



OB

1135

CE, EN ISO 20347:2012 OB, A, E, FO, SRA
 Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3558) | slip-resistant PU outsole



O2

1137

CE, EN ISO 20347:2012 O2, FO, SRA
 Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



O2

1132

CE, EN ISO 20347:2012 O2, FO, SRA
 Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



O2

1133

CE, EN ISO 20347:2012 O2, FO, SRA
 Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



O2

1138

CE, EN ISO 20347:2012 O2, FO, SRA
 Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole





light



02

A^{micro}

1128

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



02

A^{micro}

1129

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



02

A^{micro}

1127

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfibre black | lining with silver ions | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



02

A^{micro}

1126

CE, EN ISO 20347:2012 O2, FO, SRA
Size 35-48 | microfibre white | lining with silver ions | replaceable acc Wave insole (art. 3559) | slip-resistant PU outsole



! INFORMATION

A^{micro} is an innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Due to its special structure it is light and smooth but at the same time very tearproof and resistant.



02 **6740**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02 **6741**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02 **6785**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre grey/black | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02 **6782**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre grey/blue | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



370118

Set of shoelaces in three colours (red, blue and green) | length 80 cm for low shoes | exclusively available with model 6780



02 **6781**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre black | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02 **6780**

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | microfibre white | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole





NEW



02

A[®]micro

6766

CE, EN ISO 20347:2012 O2, FO, SRC
Size 35-43 | microfibre white with coloured lacing | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | **incl. white exchange laces** | slip-resistant TPU outsole



NEW



01

6772

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile white | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



NEW



01

6773

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile blue | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



NEW



01

6724

CE, EN ISO 20347:2012 O1, FO, SRC
 Size 35-43 | textile Paisley, water-repellent | lining with silver ions |
 replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU
 outsole



NEW



02

6728

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | textile black with pattern, water-repellent | lining with
 silver ions | replaceable Soft Comfort insole (art. 350112) |
 slip-resistant TPU outsole



 AVAILABLE
 in the 4th quarter
 2018
 *



02

6729

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | textile white with pattern, water-repellent | lining with
 silver ions | replaceable Soft Comfort insole (art. 350112) |
 slip-resistant TPU outsole




02
6761

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


01
6763

CE, EN ISO 20347:2012 O1, FO, SRC
 Size 35-48 | functional leather navy blue | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


02
6750

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | smooth leather white | lining microfibre, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02
6751

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | smooth leather black | lining microfibre, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


02
6771

CE, EN ISO 20347:2012 O2, FO, SRC
 Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole





SAFETY

SHOES





Classic



SB

micro

1001

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | microfibre white | lining and heel patch microfibre | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



SB

micro

1011

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | microfibre black | lining and heel patch microfibre | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



SB

1010

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | grained leather black | lining microfibre, breathable, moisture absorbing | heel patch microfibre | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



SB

1000

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-46 | grained leather white | lining microfibre, breathable, moisture absorbing | heel patch microfibre | heel strap non-foldable, adjustable | instep strap adjustable | buckle fastening | slip-resistant PU outsole



S2

1500

CE, EN ISO 20345:2011 S2, SRC
Size 36-46 | grained leather white | lining microfibre, breathable, moisture absorbing | instep strap adjustable | slip-resistant PU outsole





SB

1030

CE, EN ISO 20345:2011 SB, A, E, FO, SRA
 Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | slip-resistant PU outsole



SB

1035

CE, EN ISO 20345:2011 SB, A, E, FO, SRA
 Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable acc Wave insole (art. 3556) | slip-resistant PU outsole



S2

1037

CE, EN ISO 20345:2011 S2, SRA
 Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

1032

CE, EN ISO 20345:2011 S2, SRA
 Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

1033

CE, EN ISO 20345:2011 S2, SRA
 Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

1038

CE, EN ISO 20345:2011 S2, SRA
 Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole





light



S2

A^{micro}

1026

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfibre white | lining with silver ions | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

A^{micro}

1027

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfibre black | lining with silver ions | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

A^{micro}

1029

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

A^{micro}

1028

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



S2

1051

CE, EN ISO 20345:2011 S2, SRA
Size 35-48 | smooth leather white | temperature regulating lining **Comfortemp**® with mPCM-Technology | replaceable acc Wave insole (art. 3557) | slip-resistant PU outsole



NEW



S1

1724

CE, EN ISO 20345:2011 S1, SRC
 Size 35-43** | textile Paisley, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



NEW



S2

micro

1766

CE, EN ISO 20345:2011 S2, SRC
 Size 35-43** | microfibre white with coloured lacing | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole | **incl. white exchange laces**



NEW



S1

1772

CE, EN ISO 20345:2011 S1, SRC
 Size 35-48** | knitted textile white | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



NEW



S1

1773

CE, EN ISO 20345:2011 S1, SRC
 Size 35-48** | knitted textile blue | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



NEW



S3

1628

CE, EN ISO 20345:2011 S3, SRC
 Size 35-48** | textile black with pattern, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S3

1629

CE, EN ISO 20345:2011 S3, SRC
 Size 35-48** | textile white with pattern, water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



** Size 35 with replaceable acc Wave insole (art. 3576)



S2

A^{micro}

1740

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre white | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S2

A^{micro}

1741

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre black | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S2

1761

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S1

1760

CE, EN ISO 20345:2011 S1, SRC
Size 35-48** | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



370118

Set of shoelaces in three colours (red, blue and green) | length 80 cm for low shoes | exclusively available with model 1780



S2

A^{micro}

1780

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre white | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S2

A^{micro}

1781

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre black | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole





S2

A[®]micro

1785

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre grey/black | lining with silver ions |
replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU
outsole



S2

A[®]micro

1782

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | microfibre grey/blue | lining with silver ions |
replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU
outsole



S2

1771

CE, EN ISO 20345:2011 S2, SRC
Size 35-48** | smooth leather black | lining with silver ions |
reflective stripes | replaceable Soft Comfort insole (art. 350122) |
slip-resistant TPU outsole





anatom



SB

A[®] micro

2120

CE, EN ISO 20345:2011 SB, A, E, SRC
Size 36-52 | microfibre white | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | slip-resistant PU outsole



SB

A[®] micro

2125

CE, EN ISO 20345:2011 SB, A, E, SRC
Size 36-52 | microfibre black | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | slip-resistant PU outsole



S2

A[®] micro

2135

CE, EN ISO 20345:2011 S2, SRC
Size 36-52 | microfibre black | lining with silver ions | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole



S2

A[®] micro

2130

CE, EN ISO 20345:2011 S2, SRC
Size 36-52 | microfibre white | lining with silver ions | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole



S2

A[®] micro

2131

CE, EN ISO 20345:2011 S2, SRC
Size 36-50 | microfibre white | lining with silver ions | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole



S2

A[®] micro

2136

CE, EN ISO 20345:2011 S2, SRC
Size 36-50 | microfibre black | lining with silver ions | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole





S2

A^{micro}

2172

CE, EN ISO 20345:2011 S2, SRC
 Size 36-50 | microfibre white | lining with silver ions | scratch-resistant coating in heel and toe area | reflective stripes | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole



S2

A^{micro}

2171

CE, EN ISO 20345:2011 S2, SRC
 Size 36-50 | microfibre black | lining with silver ions | scratch-resistant coating in heel and toe area | reflective stripes | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole



S3

A^{micro}

2281

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | microfibre black | **cold-insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | slip-resistant PU outsole




S3

A^{micro}

2280

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | microfibre white | **cold insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | slip-resistant PU outsole



 All anatom styles in SB, S1 and S2 are suitable for heel and foot lift.



CRAWLER



SB

A^{micro}

4555

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-48 | microfibre white | scratch-resistant coating in toe area | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | slip-resistant TPU outsole



SB

A^{micro}

4556

CE, EN ISO 20345:2011 SB, A, E, FO, SRC
Size 36-48 | microfibre black | scratch-resistant coating in toe area | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | slip-resistant TPU outsole



S2

A^{micro}

4501

CE, EN ISO 20345:2011 S2, SRC
Size 36-48 | microfibre black/blue | seamless upper | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | slip-resistant TPU outsole





S2

A[®] micro

4500

CE, EN ISO 20345:2011 S2, SRC
 Size 36-48 | microfibre white/grey | seamless upper | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | slip-resistant TPU outsole



S2

A[®] micro

4502

CE, EN ISO 20345:2011 S2, SRC
 Size 36-48 | microfibre black/red | seamless upper | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | slip-resistant TPU outsole



S3

4876

CE, EN ISO 20345:2011 S3, SRC
 Size 36-48 | smooth leather black | scratch-resistant coating in heel and toe area | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3577) | metal free penetration resistance | **aluminium toe-cap** | slip-resistant TPU outsole



S1P

4920

CE, EN ISO 20345:2011 S1P, SRC*
 Size 35-47 | Velours microfibre black/blue | breathable lining blue | replaceable Active Comfort insole (Art. 351820) | metal free penetration resistance | slip resistance TPU outsole



* certification submitted



OB

A°micro

77021

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

A°micro

77031

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre black | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

A°micro

77030

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre black, perforated | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

A°micro

77020

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white, perforated | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole





OB

7201

CE, EN ISO 20347:2012 OB, A, FO, SRC
Size 35-47 | smooth leather white/black with pattern | insole leather | heel strap foldable, adjustable | heel cushion | slip-resistant outsole



ABEBA[®]

WWW.ABEBA.COM

Your ABEBA distributor: