

FIT FOR JOB

MEDICINE
HEALTHCARE
PHARMACY



ABEB[®]A



CONTENT

Occupational shoes

4 THE ORIGINAL



6 THE ORIGINAL PLUS

7 RUBBER

8 ARROW

9 DYNAMIC

13 EASY

14 X-LIGHT

16 UNI6



21 AUTOCLAVABLE

Safety shoes

23 ANATOM

24 X-LIGHT



26 UNI6

30 CRAWLER

31 PROTEKTOR LINE



INFORMATION

Most styles are also available in ESD-version.



With **button.**

MOBILE AND ACTIVE WITH ABEBA

Our feet do the heavy lifting – every day

Healthy feet keep us mobile and in good spirits. Unfortunately this important part of the body often doesn't receive the attention it is due. Our feet play a vital role in our lives and are literally the foundation on which we stand. If the foundation starts to crumble it can affect the whole body: knee and hip problems, back- or even headaches can be the symptoms of badly manufactured shoes and the malposition that follows with them.

Especially in a working environment additional pressure is put on our feet. To support healthy feet and ensure mobility it is essential to create shoes that minimise work specific risks and at the same time reach our high standards of wearing comfort. If the mobility is reduced by injured feet, this in turn leads to a prolonged sick leave which affects both employee and employer.

What can ABEBA do to protect your feet in a working environment and to support their well-being?

One thing is clear: Shoes have to fit!

Anatomically optimised lasts in combination with different forms offer us the possibility to create shoes with high wearing comfort for virtually every foot shape.

A high slip-resistance is a must!

Special outsole design make for sure standing and this way minimise the risk of falling down through stumbling or slipping.

What's on the inside counts, too!

Replaceable insoles and breathable, antibacterial linings provide a good foot climate. On top of that, ABEBA insoles optimise the cushioning effect over the whole surface and if needed we can offer you some orthopaedic insoles (that will be made especially for your feet of course).

Specialties make all the difference!

As a special shoe designer ABEBA offers a multitude of unique accoutrements which are especially made for the different needs and requirements of the varying professions. We are for instance able to offer a great range of shoes that are HACCP compliant and therefore adhere to the strict requirements of the food industry.

"Enjoy walking" is our motto and incentive at the same time!

ICONS



ESD



TOE-CAP



WASHABLE AT 30° C



WASHABLE AT 60° C



REPLACEABLE INSOLE



CUSHIONING EFFECT



AUTOCLAVABLE



SUITABLE FOR HEEL AND FOOT LIFT



SUITABLE FOR KITCHENS



HACCP-COMPLIANT



PENETRATION RESISTANCE



IDENTIFICATION ACCORDING TO
STANDARD



the ORIGINAL



OB

 micro

77021

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

 micro

77031

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre black | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

 micro

77020

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre white, perforated | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

 micro

77030

CE, EN ISO 20347:2012 OB, E, FO, SRC
Size 35-47 | microfibre black, perforated | insole microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole





the ORIGINAL



NEW



OB

A[®] micro

77023

CE, EN ISO 20347:2012 OB, E, FO, SRC

Size 35-47 | microfibre white/blue | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

A[®] micro

77024

CE, EN ISO 20347:2012 OB, E, FO, SRC

Size 35-47 | microfibre white/berry | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



NEW



OB

A[®] micro

77022

CE, EN ISO 20347:2012 OB, E, FO, SRC

Size 35-43 | microfibre white with pattern | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

A[®] micro

77032

CE, EN ISO 20347:2012 OB, E, FO, SRC

Size 35-47 | microfibre white with pattern | heel patch microfibre | heel strap non-foldable, adjustable | slip-resistant TPU outsole





the ORIGINAL +

THE ORIGINAL PLUS



OB

micro

7521

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfibre white | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

micro

7531

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfibre black | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole



OB

micro

7520

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 36-42 | microfibre white, perforated | heel patch microfibre | heel strap foldable, adjustable | slip-resistant TPU outsole





OB

9100

CE, EN ISO 20347:2012 OB, A, FO, SRC
 Size 36-47 | smooth leather white | insole or heel patch leather |
 heel strap non-foldable, adjustable | instep strap adjustable |
 slip-resistant special rubber outsole



OB

9110

CE, EN ISO 20347:2012 OB, A, FO, SRC
 Size 36-47 | smooth leather black | insole leather | heel strap
 non-foldable, adjustable | instep strap adjustable | slip-resistant
 special rubber outsole



OB

9150

CE, EN ISO 20347:2012 OB, A, FO, SRC
 Size 36-47 | smooth leather navy blue | insole or heel patch leather |
 heel strap non-foldable, adjustable | instep strap adjustable | slip-
 resistant special rubber outsole





arrow

ARROW

**OB**

Size 36-47

8300**OB**

Size 48-51

8302

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre white | heel patch microfibre | heel strap foldable, adjustable | **wide fit** | lightweight Mono-PU-outsole



HACCP

micro

**OB**

Size 36-47

8310**OB**

Size 48-51

8312

CE, EN ISO 20347:2012 OB, A, FO, SRA
microfibre black | heel patch microfibre | heel strap foldable, adjustable | **wide fit** | lightweight Mono-PU-outsole



HACCP

micro

**OB****8400**

CE, EN ISO 20347:2012 OB, A, FO, SRA
Size 36-47 | smooth leather white | heel patch microfibre | lining microfibre, breathable, moisture absorbing | heel strap non-foldable, adjustable | instep strap adjustable | slip-resistant PU outsole





OB

7325

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | knitted textile white | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

7329

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | knitted textile white | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

 micro**7320**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-43 | microfibre white with pattern | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



**DYNAMIC**

DYNAMIC

**OB****7310**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | smooth leather white with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB****7312**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | smooth leather white/blue with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB****7313**

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | smooth leather white/red with pattern | heel strap foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



DYNAMIC

DYNAMIC



NEW



OB

A[®] micro

7360

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



NEW



OB

A[®] micro

7367

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/blue | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

A[®] micro

7366

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



OB

A[®] micro

7369

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/black | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



NEW



OB

A[®] micro

7368

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre white/red | heel strap non-foldable, adjustable | replaceable Active Comfort insole (art. 352610) | slip-resistant TPU outsole



OB

A[®] micro

7365

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | microfibre grey/black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



**DYNAMIC**

DYNAMIC

**OB**

micro

7363

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre grey/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB**

micro

7362

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre grey/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB**

micro

7335

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre white/black | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB**

micro

7331

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre black/blue | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB**

micro

7332

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre black/red | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole

**OB**

micro

37333

CE, EN ISO 20347:2012 OB, A, E, FO, SRC

Size 35-48 | microfibre black/yellow | seamless upper | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3574) | slip-resistant TPU outsole



easy



OB

 micro

7620

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfibre patent white | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

 micro

7621

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | microfibre patent black | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

7623

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-43 | smooth leather white/red | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole



OB

7622

CE, EN ISO 20347:2012 OB, A, E, FO, SRC
Size 35-48 | smooth leather white/blue | heel strap non-foldable, adjustable | replaceable acc Wave insole (art. 3573) | slip-resistant TPU outsole





x-light

NEW



OB

711130

CE, EN ISO 20347:2012 OB, FO, SRC*

Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351710) | slip-resistant PU outsole



NEW



OB

711135

CE, EN ISO 20347:2012 OB, FO, SRC*

Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351710) | slip-resistant PU outsole



NEW



O2

711132

CE, EN ISO 20347:2012 O2, FO, SRC*

Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



NEW



O2

711137

CE, EN ISO 20347:2012 O2, FO, SRC*

Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



x-light



NEW



02

micro

711128

CE, EN ISO 20347:2012 O2, FO, SRC*
Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



NEW



02

micro

711129

CE, EN ISO 20347:2012 O2, FO, SRC*
Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



NEW



02

711133

CE, EN ISO 20347:2012 O2, FO, SRC*
Size 35-48 | smooth leather white | lining with silver ions | reflective stripes | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole



NEW



02

micro

711126

CE, EN ISO 20347:2012 O2, FO, SRC*
Size 35-48 | microfibre white | lining with silver ions | replaceable Active Comfort insole (art. 351610) | slip-resistant PU outsole





01

micro

6795

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | microfibre white | lining microfibre, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



01

micro

6796

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | microfibre black | lining microfibre, breathable, moisture absorbing | instep area with velcro fastening | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

micro

6741

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

micro

6740

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

6771

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | smooth leather black | lining with silver ions | reflective stripes | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



INFORMATION

micro is an innovative high-tech material which is especially water-resistant and breathable. It even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Additionally it can be equipped with various treatments such as silver ions. Due to its special structure it is light and smooth but at the same time very tearproof and resistant. micro replicates leather visually without turning yellow due to direct sunlight.



01

6760

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

6761

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



01

6763

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | functional leather navy blue | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



01

6762

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-48 | functional leather blue with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

6751

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | smooth leather black | lining microfibre, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



02

6750

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | smooth leather white | lining microfibre, breathable, moisture absorbing | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole



**unic****01****6772**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile white | protection against splash water |
lining with silver ions | replaceable Soft Comfort insole (art. 350112) |
slip-resistant TPU outsole

**01****6773**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile blue | protection against splash water |
lining with silver ions | replaceable Soft Comfort insole (art. 350112) |
slip-resistant TPU outsole

**NEW****01****6774**

CE, EN ISO 20347:2012 O1, FO, SRC
Size 35-48 | knitted textile orange | protection against splash water |
lining with silver ions | replaceable Soft Comfort insole (art. 350112) |
slip-resistant TPU outsole



**01****6724**

CE, EN ISO 20347:2012 O1, FO, SRC

Size 35-43 | textile Paisley | water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

**02****6729**

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | textile white with pattern | water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

**02****6728**

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | textile black with pattern | water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole

**02** **micro****6766**

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-43 | microfibre white with coloured lacing | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | **incl. white exchange laces** | slip-resistant TPU outsole


02
6787

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre white/black | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole


02
6786

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre white/blue | lining with silver ions | replaceable Active Comfort insole (art. 352510) | slip-resistant TPU outsole



370118

Set of shoelaces in three colours (red, blue and green) | length 80 cm for low shoes | exclusively available with model 6780


02
6780

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre white | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


02
6785

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre grey/black | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


02
6783

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre grey/red | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole


02
6782

CE, EN ISO 20347:2012 O2, FO, SRC

Size 35-48 | microfibre grey/blue | lining with silver ions | replaceable Soft Comfort insole (art. 350112) | slip-resistant TPU outsole





**AUTO-
CLAVABLE**



INFORMATION

***Double sizes:**

Please use size in bold when placing your order.

**35/36, 37/38, 39/40,
41/42, 43/44, 45/46**



INFORMATION

To avoid any damages of the shoes
please make sure they are not
touching each other during the
autoclaving process.



OB

9630

CE, EN ISO 20347:2012 OB, A, E, SRC

Double sizes* 35/36 - 45/46 | special material orange | heel strap foldable, adjustable | autoclavable | slip-resistant outsole



OB

9600

CE, EN ISO 20347:2012 OB, A, E, SRC

Double sizes* 35/36 - 45/46 | special material white | heel strap foldable, adjustable | autoclavable | slip-resistant outsole



OB

9610

CE, EN ISO 20347:2012 OB, A, E, SRC

Double sizes* 35/36 - 45/46 | special material blue | heel strap foldable, adjustable | autoclavable | slip-resistant outsole



OB

9620

CE, EN ISO 20347:2012 OB, A, E, SRC

Double sizes* 35/36 - 45/46 | special material green | heel strap foldable, adjustable | autoclavable | slip-resistant outsole





SAFETY SHOES

**SB**

micro

2120

CE, EN ISO 20345:2012 SB, A, E, SRC*

Size 36-**52** | microfibre white | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | slip-resistant PU outsole**S2**

micro

2130

CE, EN ISO 20345:2012 S2, SRC*

Size 36-**52** | microfibre white | lining with silver ions | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole**S3**

micro

2281

CE, EN ISO 20345:2012 S3, SRC

Size 36-48 | microfibre black | **cold-insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | slip-resistant PU outsole**SB**

micro

2125

CE, EN ISO 20345:2012 SB, A, E, SRC*

Size 36-**52** | microfibre black | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3582) | slip-resistant PU outsole**S2**

micro

2131

CE, EN ISO 20345:2012 S2, SRC*

Size 36-**50** | microfibre white | lining with silver ions | replaceable acc Wave insole (art. 3580) | slip-resistant PU outsole**S3**

micro

2280

CE, EN ISO 20345:2012 S3, SRC

Size 36-48 | microfibre white | **cold insulating** lining | triple velcro fastening | cushioned ankle support | reflective stripes | replaceable acc Wave insole (art. 3580) | metal free penetration resistance | slip-resistant PU outsole



x-light

X-LIGHT

NEW



SB

711030

CE, EN ISO 20345:2012 SB, FO, SRC*

Size 35-48 | smooth leather white | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351720) | slip-resistant PU outsole



NEW



SB

711035

CE, EN ISO 20345:2012 SB, FO, SRC*

Size 35-48 | smooth leather black | lining with silver ions | heel strap non-foldable, adjustable | instep area with elastic band | replaceable Active Comfort insole (art. 351720) | slip-resistant PU outsole



NEW



S2

micro

711029

CE, EN ISO 20345:2012 S2, SRC*

Size 35-48 | microfibre black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



NEW



S2

micro

711028

CE, EN ISO 20345:2012 S2, SRC*

Size 35-48 | microfibre white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



NEW



S2

711032

CE, EN ISO 20345:2012 S2, SRC*

Size 35-48 | smooth leather white | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole



NEW



S2

711037

CE, EN ISO 20345:2012 S2, SRC*

Size 35-48 | smooth leather black | lining with silver ions | instep area with elastic band | replaceable Active Comfort insole (art. 351620) | slip-resistant PU outsole





x-light



NEW



S2

micro

711026

CE, EN ISO 20345:2012 S2, SRC*
Size 35-48 | microfibre white | lining with silver ions | replaceable
Active Comfort insole (art. 351620) | slip-resistant PU outsole



NEW



S2

micro

711027

CE, EN ISO 20345:2012 S2, SRC*
Size 35-48 | microfibre black | lining with silver ions | replaceable
Active Comfort insole (art. 351620) | slip-resistant PU outsole



NEW



S2

711038

CE, EN ISO 20345:2012 S2, SRC*
Size 35-48 | smooth leather black | lining with silver ions | reflective
stripes | replaceable Active Comfort insole (art. 351620) | slip-
resistant PU outsole




NEW



S2

711033

CE, EN ISO 20345:2012 S2, SRC*
Size 35-48 | smooth leather white | lining with silver ions | reflective
stripes | replaceable Active Comfort insole (art. 351620) | slip-
resistant PU outsole





unis



S1

1724

CE, EN ISO 20345:2012 S1, SRC
Size 35-43** | textile Paisley | water-repellent | lining with silver ions
| replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU
outsole



S2

A[®] micro

1766

CE, EN ISO 20345:2012 S2, SRC
Size 35-43** | microfibre white with coloured lacing | lining with sil-
ver ions | replaceable Soft Comfort insole (art. 350122) | incl. white
exchange laces | slip-resistant TPU outsole



S2

1771

CE, EN ISO 20345:2012 S2, SRC
Size 35-48** | smooth leather black | lining with silver ions |
reflective stripes | replaceable Soft Comfort insole (art. 350122) |
slip-resistant TPU outsole





uni6



S1

1772

CE, EN ISO 20345:2012 S1, SRC
Size 35-48** | knitted textile white | protection against splash water | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



S1

1773

CE, EN ISO 20345:2012 S1, SRC
Size 35-48** | knitted textile blue | protection against splash water | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



NEW



S1

1774

CE, EN ISO 20345:2012 S1, FO, SRC
Size 35-48 | knitted textile orange | protection against splash water | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



** Size 35 with replaceable acc Wave insole (art. 3576)


S2

micro

1740

CE, EN ISO 20345:2012 S2, SRC

Size 35-48** | microfibre white | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole


S2

micro

1741

CE, EN ISO 20345:2012 S2, SRC

Size 35-48** | microfibre black | lining with silver ions | instep area with elastic band | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole


S2
1761

CE, EN ISO 20345:2012 S2, SRC

Size 35-48** | functional leather black with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole


S1
1760

CE, EN ISO 20345:2012 S1, SRC

Size 35-48** | functional leather white with honeycomb pattern | water-repellent | scratch-resistant | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole


S3
1629

CE, EN ISO 20345:2012 S3, SRC

Size 35-48** | textile white with pattern | water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole


S3
1628

CE, EN ISO 20345:2012 S3, SRC

Size 35-48** | Textile black with pattern | water-repellent | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



**370118**

Set of shoelaces in three colours (red, blue and green) | length 80 cm for low shoes | exclusively available with model 1780

**S2****1780**

CE, EN ISO 20345:2012 S2, SRC

Size 35-48* | microfibre white | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole



CE, EN ISO 20345:2012 S2, SRC

Size 35-48 | microfibre white/black | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole

**S2****1786**

CE, EN ISO 20345:2012 S2, SRC

Size 35-48 | microfibre white/blue | lining with silver ions | replaceable Active Comfort insole (art. 352520) | slip-resistant TPU outsole

**S2****1785**

CE, EN ISO 20345:2012 S2, SRC

Size 35-48* | microfibre grey/black | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole

**S2****1781**

CE, EN ISO 20345:2012 S2, SRC

Size 35-48* | microfibre black | lining with silver ions | replaceable Soft Comfort insole (art. 350122) | slip-resistant TPU outsole





CRAWLER



SB

micro

4555

CE, EN ISO 20345:2012 SB, A, E, FO, SRC

Size 36-48 | microfibre white | scratch-resistant coating in toe area | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | slip-resistant TPU outsole



SB

micro

4556

CE, EN ISO 20345:2012 SB, A, E, FO, SRC

Size 36-48 | microfibre black | scratch-resistant coating in toe area | lining with silver ions | heel strap non-foldable, adjustable | instep strap adjustable, with elastic band | replaceable acc Wave insole (art. 3579) | **aluminium toe-cap** | slip-resistant TPU outsole



S2

micro

4500

CE, EN ISO 20345:2012 S2, SRC

Size 36-48 | microfibre white/grey | seamless upper | lining with silver ions | reflective stripes | replaceable acc Wave insole (art. 3577) | **aluminium toe-cap** | slip-resistant TPU outsole



S1P

4920

CE, EN ISO 20345:2012 S1P, SRC

Size 39-47 | Velours microfibre black/blue | breathable lining blue | replaceable Active Comfort insole (Art. 351820) | metal free penetration resistance | slip resistance TPU outsole



**S3****2232**

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | smooth leather black | lining leather | double velcro fastening | penetration resistance | slip-resistant PU outsole

**S3****2230**

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | smooth leather white | lining leather | double velcro fastening | penetration resistance | slip-resistant PU outsole

**S3****1645**

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | smooth leather white | lining leather | triple velcro fastening | cushioned ankle support | reflective stripes | penetration resistance | slip-resistant PU outsole

**S3****1655**

CE, EN ISO 20345:2011 S3, SRC

Size 36-48 | smooth leather black | lining leather | triple velcro fastening | cushioned ankle support | reflective stripes | penetration resistance | slip-resistant PU outsole





WWW.ABEBA.COM

Your ABEBA distributor: